

PRODUCT CENTRAL 100 NEUTRA-QUAT 256

Product Central 100 Neutra-Quat 256 is a one-step disinfectant, cleaner, virucide*, deodorizer for use in homes, food service establishments, hospitals, institutional, and industrial facilities. Easily cleans and disinfects, when used according to directions, and deodorizes. Effective against HIV-1 (AIDS virus) and Hepatitis B virus in 5 minutes, and SARS-CoV-2 [COVID-19] in 1 minute. Can be used for electrostatic spray application with a 5 minute contact time and 1:256 dilution. This application method should not be used to treat surfaces for Canine parvovirus or fungicidal claims.

| SPECIFICATIONS | |
|-----------------------------|--------------------|
| Dilution ½-gallon cartridge | 1:256 |
| Yield ½-gallon cartridge | 128 gallons |
| pH as supplied | 7.5 - 7.85 |
| Color | Yellow |
| Fragrance added | Lemon-Lime |
| Weight per gallon | 0.96-0.98 lbs. |
| Packaging | ½ gallon cartridge |
| Shelf Life | 2 years unopened |

DIRECTIONS FOR USE: Dilute with cold water.

DISINFECTION / VIRUCIDAL / FUNGICIDAL:

Apply use-solution to hard, non-porous, non-food contact surfaces, thoroughly wetting surfaces with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain visibly wet for 5 minutes.

For SARS-Cov-2, treated surfaces must remain visibly wet for 1 minute. Wipe dry with a cloth, sponge or mop or allow to air dry. For visibly soiled areas, a preliminary cleaning is required.

This product is not for use on medical device surfaces.

***KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human

(Directions Continued)

Immunodeficiency Virus Type 1 or Hepatitis B Virus or Hepatitis C Virus.

Special Instructions for Cleaning and Decontamination against HIV-1 or HBV or HCV on Surfaces/Objects Soiled With Blood/Body Fluids. Personal Protection: Clean-up must always be done wearing protective gloves, gowns, masks and eye protection. Cleaning Procedure: Blood and other body fluids containing HIV-1 or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of this product. Contact Time: Leave surface visibly wet for 5 minutes for HIV-1 and 10 minutes for HBV and HCV with ½ oz. per gallon use-solution. Disposal of Infectious Material: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

Salon/Barber Instruments Disinfection Directions:

Completely immerse combs, brushes, rollers, manicure and other salon instruments and allow them to remain visibly wet for 5 minutes. For visibly soiled instruments and tools, a preliminary cleaning is required. Rinse thoroughly and dry before use.

Note: Plastics may remain immersed until ready to use. Stainless steel shears and instruments must be removed after required contact time, rinsed, dried and kept in a clean, non-contaminated receptacle. Prolonged soaking may cause damage to metal instruments

Refer to the Safety Data Sheet (SDS) for detailed safety, health and environmental information.

See reverse side for efficacy data.

December 2024



When used as directed, Product Central 100 Neutra-Quat 256 is effective against the following pathogens:

1 MINUTE CONTACT TIME

Viruses:

*SARS-Related Coronavirus 2 [SARS-CoV-2]

5 MINUTE CONTACT TIME

Bacteria:

Pseudomonas aeruginosa

Salmonella enterica

Staphylococcus aureus

Acinetobacter baumannii

Enterobacter aerogenes

Enterobacter cloacae NDM 1 – Carbapenem Resistant

Enterococcus faecalis - Vancomycin resistant

Escherichia coli [E. coli]

Escherichia coli O157:H7

Escherichia coli – Extended Spectrum Beta Lactamase producing

Escherichia coli NDM-1 - Carbapenem Resistant

Klebsiella pneumoniae

Klebsiella pneumoniae – Extended Spectrum Beta Lactamase producing

Klebsiella pneumoniae NDM 1- Carbapenem Resistant

Staphylococcus aureus - Community Associated Methicillin-Resistant

Staphylococcus aureus - Methicillin-Resistant

Staphylococcus aureus - Vancomycin Resistant

Streptococcus pyogenes [Strep]

Viruses:

*Adenovirus Type 5

*Hepatitis B Virus [HBV]

*Hepatitis C Virus [HCV]

*Herpes Simplex Virus Type 1

*Herpes Simplex Virus Type 2

*HIV-1 [AIDS virus]

*Human Coronavirus

*Influenza A Virus (H7N9)

*Influenza A virus / H3N2 [Influenza]

*Norwalk Virus – Norovirus

*Respiratory Syncytial Virus [RSV]

*SARS associated Coronavirus [SARS]

*Vaccinia

Animal Viruses:

*Avian Influenza (H5N1)

*Feline Calicivirus

Fungi:

Candida albicans